

SECTION-1: Identification of the substance / mixture and the company / undertaking

Catalogue Number	CS-O-64012
Product Name	Encorafenib Impurity 15
CAS No.	1229025-68-6
Category	Impurity
Synonyms	Benzyl methyl propane-1,2-diyl(S)-dicarbamate
Brand	Clearsynth Labs Ltd.
Identified uses	Laboratory Chemicals
Uses advised against	Not available
Company	Clearsynth Labs Ltd. Mumbai, India
Emergency Phone #	+91-22-245045900
REACH No.	Not available

SECTION 2: Hazards identification

Disclaimer: This is sample MSDS. Please email sales@clearsynth.com for more details.

2.1 Classification of the substance or mixture-Regulation (EC) No 1272/2008:

Acute toxicity (Category 4)

2.2 Label Elements

Signal Word: Warning



Hazard Statement(s)

Code	Statement
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.

Precautionary Statement(s)

Code	Statement
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Not available
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P317	Not available
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317	Not available
P321	Specific treatment (see ... on this label).
P330	Not available
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulation

SECTION 3: Composition / information on ingredients

3.1 Substance

Component : Encorafenib Impurity 15

CAS Number : 1229025-68-6

Molecular Formula : C₁₃H₁₈N₂O₄

Molecular Weight : 266.30

Parent Chemical : Encorafenib

Synonyms : Benzyl methyl propane-1,2-diyl(S)-dicarbamate

Concentration : Not available

SECTION 4: First aid measures

Not available

SECTION 5: Firefighting measures

Not available

SECTION 6: Accidental release measures

Not available

SECTION-7: Handling and storage

Not available

SECTION 8: Exposure controls / personal protection

Not available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Test	Result
Appearance	No data available
IR spectrum	No data available
pH	No data available
Solubility	No data available

Property	Value
a) Physical State	No data available
b) Color	No data available
c) Odor	No data available
d) pH	No data available
e) Vapour Pressure	No data available
f) Viscosity	No data available
g) Initial Boiling Point and boiling range	No data available
h) Melting Point / Freezing Point	No data available
i) Auto Ignition Temperature	No data available
j) Flash Point	No data available
k) Explosion Limit, Lower	No data available
l) Explosion Limit, Upper	No data available
m) Decomposition Temperature	No data available

Property	Value
n) Loss on Drying	No data available
o) Relative Density	No data available
p) Solubility (in DMSO)	No data available
q) Oxidizing Properties	No data available

SECTION 10: Stability and reactivity

Not available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute toxicity: No data available.
- Skin corrosion/irritation: No data available.
- Serious eye damage/eye irritation: No data available.
- Respiratory or skin sensitization: No data available.
- Germ cell mutagenicity: No data available.
- Carcinogenicity: No data available.
- Reproductive toxicity: No data available.
- STOT-single exposure: No data available.
- STOT-repeated exposure: No data available.
- Aspiration hazard: No data available.

Likely routes of exposure

- No data available.

Symptoms related to the physical, chemical and toxicological characteristics

- Not available.

SECTION 12: Ecological information

Not available

SECTION 13: Disposal considerations

Not available

SECTION 14: Transport information

Not available

SECTION 15: Regulatory information

Not available

SECTION 16: Other information

Not available

DISCLAIMER

This MSDS is system-generated. Please verify and confirm all data, statements, and values with the Support Team before use or distribution.